

Package: DPTM (via r-universe)

August 20, 2024

Type Package

Title Dynamic Panel Multiple Threshold Model with Fixed Effects

Version 1.3.7

Date 2024-03-28

Description Compute the fixed effects dynamic panel threshold model suggested by Ramírez-Rondán (2020) [doi:10.1080/07474938.2019.1624401](https://doi.org/10.1080/07474938.2019.1624401), and dynamic panel linear model suggested by Hsiao et al. (2002) [doi:10.1016/S0304-4076\(01\)00143-9](https://doi.org/10.1016/S0304-4076(01)00143-9), where maximum likelihood type estimators are used. Multiple threshold estimation based on Markov Chain Monte Carlo (MCMC) is allowed, and model selection of linear model, threshold model and multiple threshold model is also allowed.

License GPL (>= 3)

URL <https://github.com/HujieBai/DPTM>

Encoding UTF-8

Imports Rcpp (>= 1.0.12), BayesianTools, purrr, MASS, stats, coda, parabar

LinkingTo Rcpp, RcppEigen

RoxygenNote 7.3.1

Depends R (>= 4.3.0)

LazyData true

Repository <https://hujiebai.r-universe.dev>

RemoteUrl <https://github.com/hujiebai/dptm>

RemoteRef HEAD

RemoteSha 78476eb6d50296f54ad9f8f9df1ad7118714e4a2

Contents

data	2
DPML	2
DPTS	4
Threshold_Test	7

Index**11**

data	<i>A simulation data used for examples</i>
------	--------------------------------------------

Description

A simulation data used for examples

Usage

data

Format

A simulation data used for examples

None

DPML	<i>The dynamic panel linear model with fixed effects</i>
------	----------------------------------------------------------

Description

The dynamic panel linear model with fixed effects

Usage

```
DPML (
  y,
  y1 = NULL,
  x = NULL,
  w = NULL,
  var_u = NULL,
  tt,
  nn,
  time_trend = FALSE,
  time_fix_effects = FALSE,
  restart = FALSE,
  x1 = NULL,
  delty0 = NULL,
  Only_b = FALSE,
  display = TRUE
)
```

Arguments

<code>y</code>	the dependent variable; vector type input.
<code>y1</code>	the lag dependent variable; vector type input; By default, <code>y1</code> is NULL, and then <code>y1</code> will be computed by <code>y</code> automatically.
<code>x</code>	the independent variable; matrix type input.
<code>w</code>	the variance ratio; By default, is NULL; It must be greater than 1.
<code>var_u</code>	the option of variance of error term; By default, is NULL; It must be greater than 0; When meet relevant ERROR, please change the <code>var_u</code> .
<code>tt</code>	the length of time period.
<code>nn</code>	the number of individuals.
<code>time_trend</code>	the time trend; By default, it is FALSE.
<code>time_fix_effects</code>	the time fixed effects; By default, it is FALSE.
<code>restart</code>	the option of iterations; By default, <code>restart</code> is FALSE, if encounters iteration failure, please set <code>restart</code> as TRUE.
<code>x1</code>	the initial values of independent variable; matrix type input. By default, <code>x1</code> is NULL, and thus <code>x1</code> will be computed by <code>x</code> automatically.
<code>delty0</code>	the option of <code>delta_y</code> ; By default, <code>delty0</code> is NULL; Please do not change <code>delty0</code> .
<code>Only_b</code>	the option of initial equation; By default, <code>Only_b</code> is FALSE, and if <code>Only_b</code> is TRUE, initial <code>delta y</code> will be a constant <code>C</code> . Please see Hsiao (2002) and Ramírez-Rondán (2020) for more details.
<code>display</code>	the option of whether to print the messages of estimated results; By default, the <code>display</code> is TRUE.

Value

A list containing the following components:

<code>ssemin</code>	the negative log-likelihood function value
<code>Coefs</code>	parameter estimates containing t-values
<code>pars</code>	iterated results for all parameters
<code>duit</code>	the first-difference form of residuals
<code>dy0</code>	the first-difference form of dependent variable
<code>xx</code>	the independent variables and their initial values
<code>covariance_matrix</code>	the covariance matrix
<code>Ses</code>	the standard errors of coefs
<code>Zvalues</code>	the values of the statistic
<code>ccd</code>	the number of independent variables
<code>coefs</code>	parameter estimates containing their initial values

Functions

- `DPML()`: This is a dynamic panel linear model with fixed effects, which allows time trend term or time fixed effects.

Author(s)

Hujie Bai

References

Ramírez-Rondán, N. R. (2020). Maximum likelihood estimation of dynamic panel threshold models. *Econometric Reviews*, 39(3), 260-276.

Hsiao, C., Pesaran, M. H., & Tahmiscioglu, A. K. (2002). Maximum likelihood estimation of fixed effects dynamic panel data models covering short time periods. *Journal of econometrics*, 109(1), 107-150.

Examples

```
data("data", package = "DPTM")
y <- data$data_test_linear$y
q <- data$data_test_linear$q
x <- as.matrix(data$data_test_linear$x)
z <- as.matrix(data$data_test_linear$z)
tt <- data$data_test_linear$tt
nn <- data$data_test_linear$nn
xx <- cbind(x,z)
m1 <- DPML(y=y,x=xx,tt=tt,nn=nn)
m1$Coefs
```

DPTS

The Dynamic panel threshold model with multiple thresholds

Description

DPTS This is a dynamic panel threshold model with fixed effects, which allows multiple thresholds, time trend term or time fixed effects.

Usage

```
DPTS(
  y,
  y1 = NULL,
  x = NULL,
  q,
  cvs = NULL,
  time_trend = FALSE,
  time_fix_effects = FALSE,
```

```

x1 = NULL,
tt,
nn,
Th = 1,
ms = 1000,
burnin = 1000,
types = "DREAMzs",
ADs = FALSE,
r0x = NULL,
r1x = NULL,
NoY = FALSE,
restart = FALSE,
Only_b = FALSE,
w = NULL,
var_u = NULL,
delty0 = NULL,
nCR = 3,
autoburnin = TRUE,
sro = 0.1,
display = TRUE
)

```

Arguments

y	the dependent variable; vector type input.
y1	the lag dependent variable; vector type input; By default, y1 is NULL, and then y1 will be computed by y automatically.
x	the independent variable; matrix type input.
q	the threshold variable; vector type input.
cvs	the set of control variables; matrix type input; By default, cvs is NULL.
time_trend	the time trend; By default, it is FALSE.
time_fix_effects	the time fixed effects; By default, it is FALSE.
x1	the initial values of independent variable; matrix type input. By default, x1 is NULL, and thus x1 will be computed by x automatically.
tt	the length of time period.
nn	the number of individuals.
Th	the number of thresholds.
ms	the length of MCMC chains after burn-in.
burnin	the length of burn-in.
types	the type of MCMC used; More details see BayesianTools::runMCMC.
ADs	the options for MCMC; More details see BayesianTools::runMCMC.
r0x	the lower bound of thresholds; By default, r0x is NULL, and thus r0x will be computed by q automatically.

<code>r1x</code>	the upper bound of thresholds; By default, <code>r0x</code> is NULL, and thus <code>r1x</code> will be computed by <code>q</code> automatically.
<code>NoY</code>	the option of threshold effects on the lag dependent variable; By default, <code>NoY</code> is False, and thus there will be threshold effects on <code>y1</code> .
<code>restart</code>	the option of iterations; By default, <code>restart</code> is FALSE, if encounters iteration failure, please set <code>restart</code> as TRUE.
<code>Only_b</code>	the option of initial equation; By default, <code>Only_b</code> is FALSE, and if <code>Only_b</code> is TRUE, initial delta <code>y</code> will be a constant <code>C</code> .; Please see Hsiao (2002) and Ramírez-Rondán (2020) for more details.
<code>w</code>	the variance ratio; By default, is NULL; It must be greater than 1.
<code>var_u</code>	the option of variance of error term; By default, is NULL; It must be greater than 0; When meet relevant ERROR, please change the <code>var_u</code> .
<code>delty0</code>	the option of <code>delta_y</code> ; By default, <code>delty0</code> is NULL; Please do not change <code>delty0</code> .
<code>nCR</code>	parameter determining the number of cross-over proposals of DREAM MCMC. If <code>nCR = 1</code> all parameters are updated jointly.
<code>autoburnin</code>	a logical flag indicating of the Gelman and Rubin's convergence diagnostic, whether variables in <code>x</code> should be transformed to improve the normality of the distribution. If set to TRUE, a log transform or logit transform, as appropriate, will be applied.
<code>sro</code>	the least ratio of sample in regimes.
<code>display</code>	the option of whether to print the messages of estimated results; By default, the display is TRUE.

Value

A list containing the following components:

<code>ssemin</code>	the negative log-likelihood function value
<code>Ths</code>	a vector of multiple thresholds in order
<code>Ths_IC</code>	a matrix of confidence intervals of all thresholds
<code>Coefs</code>	parameter estimates containing t-values
<code>MCMC_Convergence_Diagnostic</code>	the Gelman and Rubin's convergence diagnostic results of MCMC sample
<code>model</code>	a list of results of DMPL
<code>MCMC</code>	an object of class <code>mcmcSampler</code> (if one chain is run) or <code>mcmcSamplerList</code> , more details see <code>BayesianTools::runMCMC</code>

Author(s)

Hujie Bai

References

Ramírez-Rondán, N. R. (2020). Maximum likelihood estimation of dynamic panel threshold models. *Econometric Reviews*, 39(3), 260-276.

Hsiao, C., Pesaran, M. H., & Tahmiscioglu, A. K. (2002). Maximum likelihood estimation of fixed effects dynamic panel data models covering short time periods. *Journal of econometrics*, 109(1), 107-150.

Examples

```
data("data", package = "DPTM")
y <- data$data_test$y
q <- data$data_test$q
x <- as.matrix(data$data_test$x)
z <- as.matrix(data$data_test$z)
tt <- data$data_test$tt
nn <- data$data_test$nn
m1 <- DPTS(y=y,q=q,x=x,cvs = z,tt=tt,nn=nn,Th=1,ms = 100,burnin = 100)
m1$Ths
m1$Ths_IC
m1$Coefs
m1$MCMC_Convergence_Diagnostic
plot(m1$MCMC)
```

Threshold_Test

The test for the number of thresholds.

Description

Threshold_Test This is a test for the numer of thresholds, and it is noted that when under H0 the number of Thresholds is 0, this test is the so called threshold existence test.

Usage

```
Threshold_Test(
  y,
  y1 = NULL,
  x = NULL,
  q,
  cvs = NULL,
  time_trend = FALSE,
  time_fix_effects = FALSE,
  x1 = NULL,
  tt,
  nn,
  Th = 0,
  ms = 1000,
  burnin = 1000,
```

```

types = "DREAMzs",
ADs = FALSE,
r0x = NULL,
r1x = NULL,
NoY = FALSE,
restart = FALSE,
Only_b = FALSE,
w = NULL,
var_u = NULL,
nCR = 3,
autoburnin = TRUE,
bt = 100,
parallel = TRUE,
sro = 0.1,
display = TRUE
)

```

Arguments

y	the dependent variable; vector type input.
y1	the lag dependent variable; vector type input; By default, y1 is NULL, and then y1 will be computed by y automatically.
x	the independent variable; matrix type input.
q	the threshold variable; vector type input.
cvs	the set of control variables; matrix type input; By default, cvs is NULL.
time_trend	the time trend; By default, it is FALSE.
time_fix_effects	the time fixed effects; By default, it is FALSE.
x1	the initial values of independent variable; matrix type input. By default, x1 is NULL, and thus x1 will be computed by x automatically.
tt	the length of time period.
nn	the number of individuals.
Th	the number of thresholds.
ms	the length of MCMC chains after burn-in.
burnin	the length of burn-in.
types	the type of MCMC used; More details see BayesianTools::runMCMC.
ADs	the options for MCMC; More details see BayesianTools::runMCMC.
r0x	the lower bound of thresholds; By default, r0x is NULL, and thus r0x will be computed by q automatically.
r1x	the upper bound of thresholds; By default, r0x is NULL, and thus r1x will be computed by q automatically.
NoY	the option of threshold effects on the lag dependent variable; By default, NoY is False, and thus there will be threshold effects on y1.

restart	the option of iterations; By default, restart is FALSE, if encounters iteration failure, please set restart as TRUE.
Only_b	the option of initial equation; By default, Only_b is FALSE, and if Only_b is TRUE, initial delta y will be a constant C. Please see Hsiao (2002) and Ramírez-Rondán (2020) for more details.
w	the variance ratio; By default, is NULL; It must be greater than 1.
var_u	the option of variance of error term; By default, is NULL; It must be greater than 0; When meet relevant ERROR, please change the var_u.
nCR	parameter determining the number of cross-over proposals of DREAM MCMC. If nCR = 1 all parameters are updated jointly.
autoburnin	a logical flag indicating of the Gelman and Rubin's convergence diagnostic, whether variables in x should be transformed to improve the normality of the distribution. If set to TRUE, a log transform or logit transform, as appropriate, will be applied.
bt	the number of bootstrap.
parallel	the option of parallel; By default, parallel is FALSE, when parallel is TRUE, this test will run in parallel.
sro	the least ratio of sample in regimes.
display	the option of whether to print the messages of estimated results; By default, the display is TRUE.

Value

A list containing the following components:

ps	the p-value of test
crit	the crit value of test
LR	the statistic
LRs	a vector of statistics in bootstrap

Author(s)

Hujie Bai

References

- Ramírez-Rondán, N. R. (2020). Maximum likelihood estimation of dynamic panel threshold models. *Econometric Reviews*, 39(3), 260-276.
- Hsiao, C., Pesaran, M. H., & Tahmiscioglu, A. K. (2002). Maximum likelihood estimation of fixed effects dynamic panel data models covering short time periods. *Journal of econometrics*, 109(1), 107-150.

Examples

```
data("data", package = "DPTM")
y <- data$data_test$y
q <- data$data_test$q
x <- as.matrix(data$data_test$x)
z <- as.matrix(data$data_test$z)
tt <- data$data_test$tt
nn <- data$data_test$nn

### Examples elapsed time > 5s
m1 <- Threshold_Test(y=y,x=x,q=q,cvs=z,tt=tt,nn=nn,Th=0,ms = 500,burnin=500,
bt=10,parallel=FALSE)
m1$ps
```

Index

* **datasets**

data, [2](#)

data, [2](#)

DPML, [2](#)

DPTS, [4](#)

Threshold_Test, [7](#)